

EN



vispa 35



The revolutionary scrubbing machine to scrub, dry and sanitize in a single-pass

Ideal to replace manual cleaning systems in small and congested areas. Ideal for maintenance cleaning.

With Vispa 35 dirt is completely collected in the recovery tank and not smeared on the floor as it could be the case with traditional manual cleaning systems. Every cleaning task becomes much easier. Effortless scrubbing ensures much higher productivity of the operator at the end of the working day.

Thanks to the automatic squeegee and brush adjusting system, the machine can automatically adjust to any type of floor.

Vispa 35 can be supplied battery or mains-powered in the scrubbing version and battery-powered in the sweeping version. The battery-powered version is cable-free for best manoeuvrability in small and congested areas.

Vispa 35 is supplied complete with brushes or pad holder. The battery-powered version comes with built-in battery charger and gel batteries as standard equipment. On request, the mains-powered version can be supplied with 15 m cable.




MODELS

VISPA 35 B
Scrubbing version
with disc brush

VISPA 35 BS
Sweeping version with two
cylindrical brushes

VISPA 35 E
Scrubbing version
with disc brush

Higher productivity of the operator and amazing cleaning performance



The only scrubbing machine which ensures perfect scrubbing and drying also on bends without having to keep on a straight track



Dirt is collected in the recovery tank which is easily removed for effort-less emptying



Uniform cleaning path
The relief valve on the solution tank cap ensures constant water outflow on the floor

Vispa 35B-E



Vispa 35BS



Parabolic squeegee
Thanks to the combined action of the suction motor and the squeegee swinging around the brush, perfect drying is ensured also on bends

REFERENCE SECTORS



Vispa 35 is the only small size scrubbing machine that ensures problem-free cleaning around corners and along walls



Vispa 35 is ideal for accurate cleaning of room corners and to operate in congested areas thanks to its handle bar which ensures 180° flexibility and to its compact size that is shaped around the brush head.

Vispa 35 B-BS is perfect for cleaning highly congested areas and its long run time is ensured by easy battery replacement and best machine efficiency over several cleaning sessions. Furthermore, excellent run time is also ensured by tank capacity. The mains-powered version is ideal for cleaning small areas without too many obstacles and it provides endless run time thanks to the cable.

VISPA 35B-BS

The battery compartment is easily accessible for quick battery replacement

Built-in battery charger

Vispa 35 B-BS comes with a built-in battery charger and for recharging you just have to plug the battery charger cable into any mains socket



Vispa 35 E

The practical hook can be used as cable clamp when the machine is operating or, otherwise, as cable holder (on request, 15 m extension cable is also available as optional extra)



User-friendly, self-explanatory to use, to park and to recharge

Vispa 35 E-B-BS is user-friendly: just fill up the solution tank with water and detergent, fit the brushes and lower the squeegee to start operating.

Vispa 35 E-B is extremely compact in size and can be parked also vertically.*

*On the battery-powered version, this operation is only allowed with the gel batteries that are supplied with the machine.



VISPA'S TECHNOLOGIES



Vispa 35 BS, the sweeping version with cylindrical brushes, can collect also small solid debris

Vispa 35 BS, thanks to the design of the solution tank with a very low barycentre, can scrub also under shelves and modules at 35 cm from the floor.

Thanks to its front squeegee, Vispa 35 BS ensures drying even when reversing.



Thanks to its front squeegee, Vispa 35 BS ensures drying even when reversing.



PROPER DAILY MAINTENANCE KEEPS CLEANING PERFORMANCES CONSTANT OVER TIME

Thanks to quick cleaning procedures at the end of the day, perfect machine efficiency is ensured over time

DAILY MAINTENANCE



Vispa 35 E-B-BS
Simple and practical thorough cleaning of the suction filter



Vispa 35 B-BS
Periodic cleaning of the squeegee hose to ensure efficient suction



Vispa 35 E-B-BS
In order to ensure excellent drying performance, the squeegee rubbers should be kept always clean. When worn out, they are very easy to replace

CERTIFICATIONS





STANDARD EQUIPMENTS	Vispa 35E	Vispa 35B	Vispa 35BS
Comfort			
Rotating parabolic squeegee	•	•	•
Ergonomic squeegee handle	•	•	•
Safety			
Antiskid wheels	•	•	•

TECHNICAL DESCRIPTION		Vispa 35E	Vispa 35B	Vispa 35BS
Solution tank	l/gal	8/2,11	10/2,64	10/2,64
Recovery tank	l/gal	10/2,64	10/2,64	10/2,64
Voltage and nominal power	V/W	220-230/540	12/500	12/500
Working width	mm/inch	350/13,77	350/13,77	350/13,77
Squeegee width	mm/inch	440/17,32	440/17,32	525
Working capacity up to	sq.m/h/sqft/h	1050/11302,11	1050/11302,11	1050/11302,11
Disc brush	(n.) mm/inch	(1) 350/13,77	(1) 350/13,77	-
Cylindrical brushes	(n.) mm/inch	-	-	(2) 110/335-330 4,33/13,18-12,99
Brush pressure	Kg/lbs	17,17/37,85	20/44	14,5/31,96
Brush motor	V/W	220-230/320	12/250	12/250
Brush revolution	rpm	140	140	450
Vacuum motor	V/W	36/150	12/250	12/250
Traction	-	Semi aut.	Semi aut.	Semi aut.
Forward speed	Km/h	3	3	3
Max gradient at full load	%	2	2	2
Batteries (n.)	V/Ah C5	-	12/65 (1)	12/65 (1)
Machine dimensions (Lxhwx)	mm/inch	620X1050X440 24,40x41,33x17,32	682X1018X440 26,85x40x17,32	718X1105X460 28,26x43,50x18,11
Machine weight (with batteries)	Kg/lbs	35/77,16	67/147,71	67/147,71



COMAC S.p.A. Via Maestri del Lavoro, 13 - 37059 Santa Maria di Zevio - Verona - ITALY
Tel. 045 8774222 - Fax 045 8750303 - www.comac.it - com@comac.it

Comac S.p.A. org. cert. ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, SA 8000:2014

